



# Mini Glo-Ball Ceiling/Wall Mirror

Designed by Jasper Morrison, 2002

Halogen - 25W

Lamp for ceiling, wall or mirror providing diffused light. Diffuser consisting of an externally acidetched, hand blown, flashed opaline glass and of a white, injection-molded PPS threaded ring nut. Injection-molded PPS white mirror ring nut. MIRROR HOLE: Ø 35 mm.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

# ø 60 mm 82 mm grand gran

### Main specifications

EAN	8059607019986
Mounting	Mirror mounted
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp holders	G9
Ilcos	HSGS
Number of heads	1
Power (W)	25

## Physical

Colour	White
Length (mm)	190
Net weight (kg)	0.29
Package height (mm)	190
Package width (mm)	190
Package length (mm)	190
Package volume (m3)	0.01
IP internal	40

#### Download

Mounting instructions	$\overline{\gamma}$	PDF
nare Parts	$\downarrow$	PDF

## Photometric Files

LDT / IES



## **Technical Drawings**

2D	<b>⊥</b> ZIP
3D	<b>∡</b> ZIP
<b>a</b> Bim	<b>⊥</b> ZIP



05



40















https://professional.flos.com/en/global/product/mini-glo-ball-ceiling-wall-mirror-f4190009/

F4190009

# Schematic light drawing




#### Photometric

Light distribution

Roto symmetric

#### Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No



#### **NOT INCLUDED**

RF26520

LED Lamp 2W 240lm G9 220-240 2700K T13 Non Dimmable

O1. Mini Glo-Ball Ceiling/Wall & Table


RF4190400

new diffuser assembly

DE/1100200

02. Ring nut & gasket kit





**DOWNLOAD** 





RF4190400

Mini Glo-Ball Ceiling/Wall & Table new diffuser assembly

RF4190300

Ring nut & gasket kit